







Continental Device India Limited





An ISO/TS 16949, ISO 9001 and ISO 14001 Certified Company

High Power LED Bulbs									
Product picture	Code name	Color	Unit	Quantity of led	Base of bulb	Voltage	Remark	Luminance(lm)	
	MR11-1X1	R/G/Y/B/W/WW	Pcs	Φ8 1W High Power Edixeon LED, 1pcs	MR11	12V DC/AC	1W 50000H	70-90	
	MR16-1X3	R/Y/B/W	Pcs	Φ8 3W High Power Edixeon LED, 1pcs	MR16/GU10/E2 7/B22	12V/24V DC/AC	3W 50000H	80-90	
		G/WW							
	MR16-3X1	R/G/Y/B/W/WW	Pcs	Φ8 1W High Power Edixeon LED, 3pcs	MR16/GU10/E2 7/B22	12V/24V DC/AC	3W 50000H	210-270	
	GU10-3X1	R/G/Y/B/W/WW	Pcs	Φ8 1W High Power Edixeon LED, 3pcs	GU10/E27/ B22	110V/ 220V AC	3W 50000H	210-270	







Continental Device India Limited

An ISO/TS 16949, ISO 9001 and ISO 14001 Certified Company

Product picture	Code name	Color	Unit	Quantity of led	Base of bulb	Voltage	Remark	Luminance(lm)	
	MR16-T-1X3	R/Y/B/W	Pcs	Φ8 3W High Power Edixeon LED, 1pcs	MR16/GU10/E27/B22	12V/24V DC/AC	3W 50000H	80-90	
		G/WW							
	MR16-T-3X1	R/G/Y/B/W/WW	Pcs	Φ8 1W High Power Edixeon LED, 3pcs	MR16/GU10/E27/B22	12V/24V DC/AC	3W 50000H	210-270	
	MR16-T-3X2	R/G/Y/B/W/WW	Pcs	Φ8 3W High Power Edixeon LED, 3pcs	MR16	12V/24V DC/AC	6W 50000H	250-320	
	MR16-1X5-3C	R/G/B	Pcs	Φ8 5W R/G/B High Power Edixeon LED, 1pcs	MR16	12V DC	5W 50000H		








Continental Device India Limited
 An ISO/TS 16949, ISO 9001 and ISO 14001 Certified Company

Product picture	Code name	Color	Unit	Quantity of led	Base of bulb	Voltage	Remark	Luminance(lm)	
	GU10-T-1X3	R/Y/B/W	Pcs	Φ8 3W High Power Edixeon LED, 1pcs	GU10/E27/ B22	110V/ 220V AC	3W 50000H	80-90	
		G/WW							
	GU10-T-3X1	R/G/Y/B/W/WW	Pcs	Φ8 1W High Power Edixeon LED, 3pcs	GU10/E27/ B22	110V/ 220V AC	3W 50000H	210-270	
	GU10-T-3X2	R/G/Y/B/W/WW	Pcs	Φ8 3W High Power Edixeon LED, 3pcs	GU10/E27/ B22	110V/ 220V AC	6W 50000H	250-320	
	GU10-1X5-3C	R/G/B	Pcs	Φ8 5W R/G/B High Power Edixeon LED, 1pcs	GU10/E27/ B22	110V/ 220V AC	5W 50000H		



Continental Device India Limited





An ISO/TS 16949, ISO 9001 and ISO 14001 Certified Company

Product picture	Code name	Color	Unit	Quantity of led	Base of bulb	Voltage	Remark	Luminance(lm)	
	JDR-T-3X1	R/G/Y/B/W/WW	Pcs	Φ8 1W High Power Edixeon LED, 3pcs	E14	110V/ 220V AC	3W 50000H	210-270	
	HR-T-1X3	R/G/Y/B/W/WW	Pcs	Φ8 3W High Power Edixeon LED, 1pcs	E27	110V/ 220V AC	3W 50000H	80-90	
	P20-3x2	R/Y/B/W	Pcs	Φ8 3W High Power Edixeon LED, 3pcs	E27/B22	110V / 220V AC	6W 50000H	260-300	
		G/WW							
	P20-N-3X2-3C	R/G/B commix color	Pcs	Φ8 3W High Power Edixeon R/G/B LED,3pcs,commi x color with remote controler.	E27/B22	110V / 220V AC	6W 50000H	200-210	
	P20-N-3x2	R/Y/B/W	Pcs	Φ8 3W High Power Edixeon LED, 3pcs	E27/B22	110V / 220V AC	6W 50000H	260-300	
		G/WW							







Continental Device India Limited

An ISO/TS 16949, ISO 9001 and ISO 14001 Certified Company

Product picture	Code name	Color	Unit	Quantity of led	Base of bulb	Voltage	Remark	Luminance(lm)	
	P30-9X1	R/G/Y/B/W/WW	Pcs	Φ8 1W High Power Edixeon LED, 9pcs	E27/B22	110V / 220V AC	9W 50000H	630-810	
	P30-7X1	R/G/Y/B/W/WW	Pcs	Φ8 1W High Power Edixeon LED, 7pcs	E27/B22	110V / 220V AC	7W 50000H	490-630	
	P30-5X1	R/G/Y/B/W/WW	Pcs	Φ8 1W High Power Edixeon LED, 5pcs	E27/B22	110V / 220V AC	5W 50000H	350-450	
	P38-12X1	R/G/Y/B/W/WW	Pcs	Φ8 1W High Power Edixeon LED, 12pcs	E27/B22	110V / 220V AC	12W 50000H	840-1080	








Continental Device India Limited
 An ISO/TS 16949, ISO 9001 and ISO 14001 Certified Company

Product picture	Code name	Color	Unit	Quantity of led	Base of bulb	Voltage	Remark	Luminance(lm)	
	G50-1X3	R/Y/B/W	Pcs	Φ8 3W High Power Edixeon LED, 1pcs	B22/E27/ E14	110V / 220V AC	3W 50000H	80-90	
		G/WW							
	G50-3X1	R/G/Y/B/W/WW	Pcs	Φ8 1W High Power Edixeon LED, 3pcs	B22/E27/ E14	110V / 220V AC	3W 50000H	210-270	
	HC-1X3	R/Y/B/W	Pcs	Φ8 3W High Power Edixeon LED, 1pcs	B22/E27/ E14	110V / 220V AC	3W 50000H	80-90	
		G/WW							
	HC-3X1	R/G/Y/B/W/WW	Pcs	Φ8 1W High Power Edixeon LED, 3pcs	B22/E27/ E14	110V / 220V AC	3W 50000H	150-180	








Continental Device India Limited
 An ISO/TS 16949, ISO 9001 and ISO 14001 Certified Company

Product picture	Code name	Color	Unit	Quantity of led	Base of bulb	Voltage	Remark	Luminance(lm)	
	G60-3X1	R/G/Y/B/W/WW	Pcs	Φ8 1W High Power Edixeon LED, 3pcs	E27/B22	110V / 220V AC	3W 50000H	150-180	
	G60-T-3X2	R/Y/B/W	Pcs	Φ8 2W High Power Edixeon LED, 3pcs	E27/B22	110V / 220V AC	6W 50000H	260-300	
		G/WW							
	G60-T-5X1	R/G/Y/B/W/WW	Pcs	1W High Power Edixeon LED,5pcs	E27/B22	110V/ 220V AC	5W 50000H	350-450	
	G90-9X1	R/G/Y/B/W/WW	Pcs	Φ8 1W High Power Edixeon LED, 9pcs	E27/B22	110V / 220V AC	9W 50000H	630-810	
	AR111-7x1	R/G/Y/B/W/WW	Pcs	Φ8 1W High Power Edixeon LED, 7pcs	G53	12V DC/AC	7W 50000H	490-630	



Continental Device India Limited





An ISO/TS 16949, ISO 9001 and ISO 14001 Certified Company

Product picture	Code name	Color	Unit	Quantity of led	Base of bulb	Voltage	Remark	Luminance(lm)	
	AR111-9x1	R/G/Y/B/W/WW	Pcs	Φ8 1W High Power Edixeon LED, 9pcs	G53	12V DC/AC	9W 50000H	630-810	
	CDL- MPSA05W	WW/NW	Pcs		MR16	12V AC/ DC	5W 50000H	WW : 120lm, NW :150lm 15-1100lux,40- 500lux, 60-85lux, Viewing Angle- 15,40,60	
	CDL- BT- MPSB11W	WW/NW	Pcs		PAR30	96-265V AC	11W 50000H	WW : 400lm, NW: 480lm, 25- 5000lux,40-3000lux viewing Angle 25,40	
	CDL- BT- MPSB16W	WW/NW	Pcs		PAR38	96-265V AC	16W 50000H	WW: 540lm, NW: 620lm, 25-7000lux Viewing Angle 25,40	
	CDL- BT- MPSB16W	WW/NW	Pcs		AR111	12V AC/DC	12W 50000H	WW: 400lm, NW: 480lm, 25-5000lux, 40- 3000lux Viewing Angle 25	



Continental Device India Limited

An ISO/TS 16949, ISO 9001 and ISO 14001 Certified Company





Product picture	Code name	Color	Unit	Quantity of led	Base of bulb	Voltage	Remark	Luminance(lm)	
	BT-CDL-MPSM015-NW	WW/NW	Pcs		NW/WW	95-265V AC	15W 50000H	LED Down Lights for replacing the conventional down light fixtures, viewing angle:120 ° with diffuser, Normal White or warm white , power consumption: 15W, size:180 x 95.7x 227mm	
	BT-CDL-MPSM020-NW	WW/NW	Pcs		NW/WW	95-265V AC	20W 50000H	LED Down Lights for replacing the conventional down light fixtures, viewing angle:120 ° with diffuser, Normal White or warm white , power consumption: 20W, size:180 x 95.7x 227mm	
	BT-CDL-MPSM020B-NW	WW/NW	Pcs		NW/WW	95-265V AC	20W 50000H	LED Down Lights for replacing the conventional down light fixtures, viewing angle:120 ° with diffuser, Normal White or warm white , power consumption: 20W, size:205 x 122x 227mm	
	BT-CDL-MPSE6060 NW		Pcs			95-265V AC	40W 50000H	LED ceiling Mounted Light, 60cm,x 60cm, Normal White or warm white.	

The MOQ is 50sets. Warranty period is ONE year.



Continental Device India Limited





An ISO/TS 16949, ISO 9001 and ISO 14001 Certified Company

LED GARDEN LIGHT									
Product Name	Product picture	Code Name	Color	Size of Shape	leds quantity	Volt &Power/Lum	Unit	Remark	
LED UNDERGROUND LIGHT		UL-60	CW/WW/R/G/Y/B	φ98x (Diameter x length)	60pcs 5mm LED	12V DC/3watt 150-180lm	Pcs	50000H IP68	
		UL-60-3C	R/G/B change color			12V AC/ 3watt			
		UL-36	CW/WW/R/G/Y/B	φ98x (Diameter x length)	36pcs 5mm LED	12V DC/1.5watt 90-110lm	Pcs	50000H IP68	
		UL-36-3C	R/G/B change color			12V AC/ 1.5watt			
		UL-3x2	CW/WW/R/G/Y/B	φ98x (Diameter x length)	3W High Power Everlight LED, 3pcs	12V DC/6watt 290-330lm	Pcs	50000H IP68	
		UL-3x2-3C	R/G/B change color			12V AC/ 6watt			
Squared wall recessed lamp		UL-S-101	CW/WW/R/G/Y/B	φ100x43 (Diameter x high)	5050 SMD LED,6pcs	12V DC/ 1watt 70-90lm	Pcs	50000H IP60	



Continental Device India Limited

An ISO/TS 16949, ISO 9001 and ISO 14001 Certified Company

Product Name	Product picture	Code Name	Color	Size of Shape	leds quantity	Volt &Power/Lum	Unit	Remark	
Squared wall recessed lamp		UL-S-102	CW/WW/ R/G/Y/B	φ100x43 (Diameter x high)	5050 SMD LED,6pcs	12V DC/ 1watt 70-90lm	Pcs	50000H IP60	
		UL-S-103	CW/WW/ R/G/Y/B	φ110x62 (Diameter x high)	5050 SMD LED,6pcs	12V DC/ 1watt 70-90lm	Pcs	50000H IP60	
Insert terra lamp		UL-H-101	CW/WW/ R/G/Y/B	φ65x410 (Diameter x high)	5050 SMD LED,12pcs	12V DC/ 2watt 70-90lm	Pcs	50000H IP64	
		UL-H-102	CW/WW/ R/G/Y/B	φ100x310 (Diameter x high)	MR16- 3X1,3PCS Edison LED	12V DC/ 3watt 210-270lm	Pcs	50000H IP64	

Continental Device India Limited

C-120 Naraina Industrial Area,

New Delhi 110 028, India.

Telephone + 91-11-2579 6150, 4141 1112 Fax + 91-11-2579 5290, 4141 1119

email@cdil.com www.cdil.com